

"Express Mail" mailing label number EH862491672US

Date of Deposit October 28, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" services under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Typed Name of Person Mailing Paper or Fee: Terri Walker

Signature: *Terri Walker*

**PATENT APPLICATION
DOCKET NO. 10992660-1**

00430354 102899

JOB RECOVERY FOR SCAN TO EMAIL

INVENTORS:

Stephen K. Johnson
Kristin S. Dahl
Theresa L. McGuire
Clint S. Cuzzo

JOB RECOVERY FOR SCAN TO EMAILFIELD OF THE INVENTION

5 This invention relates in general to transmitting a document from a scanner to an e-mail server and, more particularly, to recovering from an error occurring before receipt of the scanned document by the e-mail server.

BACKGROUND OF THE INVENTION

10 A useful feature provided on some scanners enables a user to electronically send a scanned document to designated recipients. The user designates the recipients and scans the document. The scanner establishes communication over a network with an electronic mail (e-mail) server and transmits the document to the e-mail server. The e-mail server either delivers
15 the document to the recipients or routes the document to one or more other servers for ultimate delivery to the recipients.

 Conventionally, the user cannot be sure that the document has been properly delivered to the e-mail server from the scanner. Under certain circumstances, the document may be lost while it appears to the user that the
20 document has been successfully transmitted to the e-mail server. For example, if the scanner losses electrical power before the document has been completely transmitted to the e-mail server, the document will be lost. If the user does not notice the power loss, the user may be unaware of the loss of the document.

 In another example, if communication between the e-mail server and the
25 scanner is interrupted during transmission of the document to the e-mail server, the document will be lost. The communication may be interrupted by an error in the network or the e-mail server. In this example, the user will have no way of knowing of the loss of the document other than verifying receipt of the document by the recipients.

30

SUMMARY OF THE INVENTION

According to principles of the present invention, a document is scanned in a scanning device to obtain electronic data. The electronic data represents information on the document. The electronic data is stored to a storage device.

- 5 An error then occurs either before or after beginning transmission of the data to an e-mail server. The error causes a failure in the communication of the data to the e-mail server. The method of failure detection depends on the type of failure. For a loss of power, the data storage device is examined for the electronic data. If electronic data is found, communication is established with
- 10 the e-mail server and the electronic data is transmitted to the e-mail server. The data storage device must be a non-volatile data storage device to recover from a loss of power error. For a loss of communication with the server or failure to establish communication with the server, communication is established with the e-mail server and the electronic data is transmitted to the e-mail server.

- 15 According to further principles of the present invention, if the failure interrupts a transmission of data, once communication is reestablished with the e-mail server, alternatively either the transfer of data resumes or the transfer of data restarts at the beginning.

- Other objects, advantages, and capabilities of the present invention will
- 20 become more apparent as the description proceeds.

DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram of a system for practicing the present invention.

- 25 Figure 2 is a flow chart illustrating the process of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

The process of the present invention will be best understood by first illustrating the system upon which the present invention may be implemented.

- 30 Figure 1 illustrates one such system 2 upon which the present invention may be practiced. System 2 includes a scanner 4, a network 6, an electronic mail

(e-mail) server 8, and one or more e-mail recipients 10. For clarity, only one e-mail recipient is represented. Although there may be any number of recipients and the number of recipients is not significant to the present invention.

Scanner 4 is any specific or general purpose computer having a storage
 5 device 12 for storing electronic data, a scanning subsystem 14 for scanning a document, a processing subsystem 16 for processing electronic data, and a communication subsystem 18 for communicating electronic data with other systems and devices.

In addition, scanner 4 may include a program storage system 20 readable
 10 by a computer, tangibly embodying a program, applet, or instructions executable by the computer to perform method steps. Storage device 12 may be separate portions of scanner 4 or combined as one element of scanner 4.

Scanner 4 may also include other features and capabilities not necessary
 to the present invention. It is possible that the importance of such other
 15 features or capabilities may overshadow the scanning and transmission of data capabilities of the scanner 4. The present invention encompasses all such devices regardless of whether they are referred to as scanners or by some other name.

Storage device 12 may either be a volatile or non-volatile storage device.
 20 However, in the event of a recovery from a power loss to scanner 4, storage device 12 must either be a non-volatile storage device or include a means for retaining the electronic data despite a power loss to scanner 4.

Network 6 is any type of network for communicating electronic data.
 Examples of network 6 include an intranet, a local area network, a wide area
 25 network, and the Internet.

E-mail server 8 is any type of e-mail server. An e-mail server is a
 software application running on a computing device. E-mail server 8 receives
 electronic data from scanner 4 and routes the electronic data to recipient 10
 designated by the originator. E-mail server 8 may either deliver the electronic
 30 data directly to recipient 10 or to intervening servers that deliver the electronic data to recipient 10.

E-mail recipient 10 is any device or system that may receive electronic data from an e-mail server 8. Examples of e-mail recipient 10 are e-mail addresses and facsimile machines.

Figure 2 illustrates the process of the present invention. Although Figure 2 illustrates the process of the present invention as separate discrete steps in a specific order, the present invention encompasses the steps performed in a variety of orders.

A document is scanned 22 to obtain electronic data representative of the document. The electronic data is then stored 24 to storage device 12. In one embodiment, each page of the document is stored 24 as a separate electronic file on storage device 12. In an alternate embodiment, the entire document is stored 24 as one electronic file.

In one embodiment, scanner 4 establishes 26 communication with e-mail server 8 and begins transmitting 28 the electronic data to e-mail server 8 when a failure occurs 30 preventing the completion of the transmission of the electronic data to e-mail server 8. In another embodiment, the failure occurs 30 before communication is established 26 with e-mail server 8. In still another embodiment, the failure occurs 30 after communication is established 26 with e-mail server 8 and before scanner 4 begins transmitting 28 the electronic data to e-mail server 8. In each embodiment, the failure prevents a successful transmission of the electronic data to e-mail server 8.

The failure may be a loss of power to scanner 4 or a communication failure with e-mail server 8. A communication failure with e-mail server 8 may have any cause so long as the result is an inability of scanner 4 to communicate with e-mail server 8.

Scanner 4 then detects 32 the failure. In the case of a power loss to scanner 4, detection 32 of the failure occurs by searching for the electronic data on storage device 12 upon return of power to scanner 4. In order for the data to remain on storage device 12, storage device 12 must either be a non-volatile storage device or include some means for retaining electronic data in the event of a loss of power to scanner 4. If the electronic data is present on storage

device 12, scanner 4 attempts to establish 34 communication with e-mail server 8.

In the case of a communication failure with e-mail server 8, detection of the failure occurs by monitoring the status of the communication with e-mail server 8. If scanner 4 is disconnected or fails to establish communication with e-mail server 8, a communication failure is detected. In one embodiment, scanner 4 repeatedly attempts to establish 34 communication with e-mail server 8 until communication is established 34.

Once communication is established 34 with e-mail server 8, scanner 4 transmits 36 the electronic data to e-mail server 8. In one embodiment, if scanner 4 has already transmitted some electronic data to e-mail server 8, scanner 4 resumes transmission of electronic data to e-mail server 8. In another embodiment, scanner 4 restarts transmission of the electronic data at the beginning.

In one embodiment e-mail server 8 confirms 38 receipt of the electronic data. Although, confirmation 38 by e-mail server 8 of the electronic data is not necessary to the present invention, it is desirable for indicating a successful transmission of data.

In one embodiment, once the electronic data has been completely transmitted to e-mail server 8, either with or without confirmation 38, scanner 4 removes 40 the electronic data from storage device 12.

It should be understood that the foregoing description is only illustrative of the invention. Various alternatives and modifications can be devised by those skilled in the art without departing from the invention. Accordingly, the present invention is intended to embrace all such alternatives, modifications, and variances that fall within the scope of the appended claims.